ELSEVIER

Sedimentary Geology 111 (1997) 329–330

Sedimentary Geology

Contents Volume 111, 1997

Subglacial environments — an introduction
J.A. Piotrowski 1

Subglacial landforms and sediments
Genesis of streamlined landforms and flow history of the Green Bay Lobe, Wisconsin, USA
P.M. Colgan and D.M. Mickelson 7
Rogen moraine — an example of two-step formation of glacial landscapes
J. Lundqvist 27
Ribbed moraines in Sweden — distribution pattern and palaeoglaciological implications
C. Hättestrand 41
Drumlin evolution and ice sheet oscillations along the NE Atlantic margin, Donegal Bay, western Ireland
J. Knight and A.M. McCabe 57
Morphology, internal structure and genesis of the Burtnieks drumlin field, Northern Vidzeme, Latvia
V. Zelčs and A. Dreimanis 73
The sedimentology of a Late Pleistocene drumlin near Kingscourt, Ireland
R.T. Meehan, W.P. Warren and C.J.D. Gallagher 91
Short-lived streamlined bedforms (annual small flutes) formed under clean ice, Turtmann Glacier, Switzerland
J.J.M. van der Meer 107
Origin of Elbląg Upland, northern Poland, and glaciotectonism in the southern Baltic region
J.S. Aber and H. Ruszczyńska-Szenajch 119
The Sihtuuna moraine at Tervola, southern Lapland
R. Aario, V. Peuraniemi and P. Sarala 135
Pre-crag ridges in southwestern Finland
M. Haavisto-Hyvärinen 147

Subglacial processes and sediments
Evidence, from microstructures, of deformable bed conditions within drumlins, Chimney Bluffs, New York State
J. Menzies, K. Zaniewski and D. Dreger 161
Subglacial deformation associated with fast ice flow, from the Columbia Glacier, Alaska
J.K. Hart and B. Smith 177
Thin film, channelized drainage, or sheetfloods beneath a portion of the Laurentide Ice Sheet: an examination of glacial erosion forms, northern New York State, USA
D.L. Pair 199
Subglacial groundwater flow during the last glaciation in northwestern Germany
J.A. Piotrowski 217
Late Wisconsinan sub-glacial clastic intrusive sheets along Lake Erie bluffs, at Bradtville, Ontario, Canada
A. Dreimanis and M. Rappol 225

Southern Laurentide ice lobes were created by ice streams: Des Moines Lobe in Minnesota, USA
C.J. Patterson 249
Subglacial processes of the Scandinavian Ice Sheet in Fennoscandia inferred from flow-parallel features and lithostratigraphy
M. Punkari 263
Glacial striae, glacigenous sediments and Weichselian ice movements in southernmost Sweden
Å. Mattsson 285
Mineralogy and geochemistry of the clay fraction of till in northern Finland
V. Peuraniemi, R. Aario and P. Pulkkinen 313